


# HS-160 - AC VELOCITY OUTPUT VIA 2 PIN MS CONNECTOR

HS-160 - Nopeusanturi, AC ulostulo, 2 pin MS liitäntä päällä

<b>MSP_VIRTUEMA</b>	Hansford
<b>RT_MANUFACTURER</b>	
<b>MSP_VIRTUEMA</b>	HS-160
<b>RT_SKU:</b>	
<b>Tyyppi:</b>	mm/s 1-akselinen
<b>Sovellukset:</b>	Condition Monitoring

Saatavana oheisella kokoonpanolla:



## MSP\_VIRTUEMART\_PRODDOCS

1. [Esite](http://www.mip.fi/images/docs/hs160.pdf), (URL: http://www.mip.fi/images/docs/hs160.pdf)

## MSP\_VIRTUEMART\_PRODUCT\_IMAGE\_TITLE



www.facebook.com/mipelectronics



www.linkedin.com/company/mip-electronics-ltd-/



www.youtube.com/channel/UCpKEF\_7bS4dMC4qPokUAgDQ



[www.facebook.com/mipelectronics](https://www.facebook.com/mipelectronics)



[www.linkedin.com/company/mip-electronics-ltd/](https://www.linkedin.com/company/mip-electronics-ltd/)



[www.youtube.com/channel/UCpKEF\\_7bS4dMC4qPokUAgDQ](https://www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ)



[www.facebook.com/mipelectronics](https://www.facebook.com/mipelectronics)



[www.linkedin.com/company/mip-electronics-ltd/](https://www.linkedin.com/company/mip-electronics-ltd/)



[www.youtube.com/channel/UCpKEF\\_7bS4dMC4qPokUAgDQ](https://www.youtube.com/channel/UCpKEF_7bS4dMC4qPokUAgDQ)